

C Blade-62

SPECIFICATION SHEET

USES:

Landscape

Lawns

Playgrounds

Traffic Medians

Pet Areas

Commercial or Residential

Light-Heavy Traffic

SPECIFICATIONS:

Pile Height: 1 7/8

Turf Gauge: 3/8"

Face Weight: 62 oz./yd²

Backing Weight: 20 oz./yd²

Total Weight: 82 oz./yd²

Stitch Rate: 15.5/10cm

Stitches/m2: 16,275

Material/Dtex: PP 4400, PE 12000

Color: Emerald Green and Olive Green with Brown and

Green thatching

Type of Fiber: PE Monofilament, PP Curled as Thatch



800 • 378 • 1296

6701 Aberdeen Avenue, Suite 9 200 East Sunset Road, Suite E 5002 Basin Street, Suite A1 (BioAquatic) 2501 Mayes Rd., Suite 100 (Brandon & Clark) 3403 Industrial Blvd.

 Lubbock,
 TX 79424

 El Paso,
 TX 79922

 Midland,
 TX 79703

 Carrollton,
 TX 75006

 Hobbs,
 NM 88240

915 • 585 • 3443 432 • 689 • 6301 972 • 242 • 7750 575 • 392 • 7561

806 • 794 • 1296

Fax 806 • 794 • 1298 Fax 915 • 585 • 4944 Fax 432 • 689 • 6313 Fax 972 • 242 • 7749 Fax 575 • 392 • 4508

CERTIFICATE OF ANALYSIS

Client: Global Syn-Turf, Inc.

Product: C Blade-62

Lead Results: Less than one part per million

Synthetic fibers from turf product C Blade-62, taken by Global Syn-Turf, Inc. and received by TraceAnalysis, Inc. 08-22-2014, were analyzed by TraceAnalysis, Inc 09-04-2014, for total lead by method ASTM F 2765-09. The results were less than one milligram lead per kilogram synthetic fiber (<1mg/Kg).

Dr. Blair Leftwich, Director

Data